



NEW TOWN HALL
FORMER KENDALL DEAN SCHOOL
RENOVATION
FOR THE
TOWN OF NORTH SMITHFIELD



POLICE HEADQUARTERS
FORMER BUSHEE SCHOOL
RENOVATION
FOR THE
TOWN OF NORTH SMITHFIELD



ARCHITECTS

SACCOCCIO & ASSOCIATES, INC.
1085 PARK AVENUE CRANSTON, RI 02910



MECHANICAL, PLUMBING AND FIRE PROTECTION ENGINEERS

Building Engineering Resources, Inc.

BUILDING ENGINEERING RESOURCES, Inc.
100 MIDWAY ROAD - SUITE 23 CRANSTON, RI 02920

FOR REVIEW & APPROVAL

DATE: JULY, 25, 2018


NEW TOWN HALL

FORMER KENDALL DEAN SCHOOL

RENOVATION

FOR THE

TOWN OF NORTH SMITHFIELD



GENERAL

G 1.0 SHEET LIST, SYMBOL & ABBREVIATION LEGENDS

ARCHITECTURAL

A0.1 sd SITE
AE 1.1 EXISTING PLANS
AE 1.2 EXISTING PLANS
A1.0 sd BASEMENT PLAN
A1.1 sd 1st FLOOR PLAN
A1.2 sd 2nd FLOOR PLAN
A2.0 sd EXTERIOR ELEVATIONS
A2.1 sd EXTERIOR ELEVATIONS
A3.1 sd SECTIONS & DETAILS
A6.1 DOOR & WINDOW SCHEDULES
A6.2 FINISH SCHEDULE
A8.0 BASEMENT FLOOR REFLECTED CEILING PLAN
A8.1 1st FLOOR REFLECTED CEILING PLAN
A8.2 2nd FLOOR REFLECTED CEILING PLAN



ARCHITECTS

SACCOCCIO & ASSOCIATES, INC.
1085 PARK AVENUE CRANSTON, RI 02910



MECHANICAL, PLUMBING AND FIRE PROTECTION ENGINEERS

BUILDING ENGINEERING RESOURCES, Inc.
100 MIDWAY ROAD - SUITE 23 CRANSTON, RI 02920

BASE BID "A"
FOR REVIEW & APPROVAL

DATE: JULY, 25, 2018

ARCHITECTURAL SYMBOLS LEGEND

DETAIL #

DRAWING #

DETAIL BOUNDARY

SECTION #

DRAWING #

SECTION MARK

DRAWING #

ELEVATION #

INTERIOR ELEVATION

DRAWING #

ELEVATION #

EXTERIOR ELEVATION

###

INDICATES FURNITURE / EQUIPMENT #

FF&E TAG

#

INDICATES KEYED MATERIAL RE: TO DWG FOR SCHEDULE

MATERIAL TAG

INDICATES REVISION # RE: TO SHEET FOR DESCRIPTION & DATE

INDICATES AREA OF REVISION

REVISION TAG

0' 2' 4' 8'

GRAPHIC SCALE

INDICATES TRUE NORTH

INDICATES PLAN NORTH

NORTH ARROW

FIRST FLOOR

VERTICAL ELEVATION REFERENCE

ELEV. = 100' - 0"

(ARCH REF. = 100'-0")

ELEVATION MARK

DOOR # = 3 NUMBERS DENOTE ROOM WHERE DOOR IS LOCATED

DOOR TAG

INDICATES WINDOW \ LOUVER TYPE: W = WINDOW L = LOUVER SF = STOREFRONT

WINDOW TAG

ROOM NAME

ROOM #

ROOM TAG

THERMAL AND/OR ACOUSTICAL BATT/BLANKET INSULATION

EARTH

CONCRET E

BRICK

CONCRETE MASONRY UNITS

RIGID INSULATION

PLYWOOD

ROUGH WOOD

GYPSUM WALLBOARD

STEEL

GENERAL NOTES
THE DESIGN/BUILDER SHALL:

1. UNDERSTAND THAT THE TERM "PROVIDE" AS LISTED ON THE ARCHITECTURAL DRAWINGS SHALL MEAN "FURNISH AND INSTALL".

2. VISIT THE JOB SITE AND FAMILIARIZE THEMSELVES COMPLETELY WITH ALL EXISTING CONDITIONS RELATIVE TO THE NEW WORK CALLED FOR ON THE DRAWINGS AND SPECIFICATIONS.

3. UNDERSTAND THAT THE TERM "MATCH EXISTING" AS LISTED ON THESE DRAWINGS SHALL MEAN THAT ALL WORK TO BE PERFORMED MUST BE OF SIMILAR MATERIALS, CONSTRUCTION AND FINISHED TO THE LINES OF ADJACENT WORK IN ALL RESPECTS.

4. BE RESPONSIBLE FOR ALL CUTTING, FILLING, PATCHING AND/OR REPAIRING OF EXISTING WALLS, FLOORS AND CEILINGS AS REQUIRED FOR THE INSTALLATION OF ALL NEW MECHANICAL, ELECTRICAL AND PLUMBING WORK IN THE EXISTING BUILDING. (VERIFY ALL CONDITIONS AT THE SITE).

5. PATCH AND REPAIR ALL WALLS, FLOORS, AND CEILINGS IN ALL AREAS AFFECTED BY DEMOLITION WORK. ALL WORK TO BE PERFORMED MUST BE OF SIMILAR MATERIALS, CONSTRUCTION AND FINISHED TO THE LINES OF ADJACENT WORK IN ALL RESPECTS.

6. PROVIDE DUST PARTITIONS AS REQUIRED TO KEEP AREAS OUTSIDE OF SCOPE FREE OF DIRT AND DUST.

7. BE RESPONSIBLE TO CLEAN THE WORK AREA AT THE END OF EACH WORK DAY. ALL TRASH AND DEBRIS TO BE REMOVED FROM THE BUILDING.

ARCHITECTURAL ABBREVIATION LEGEND	
- = NO WORK NEEDED	MECH = MECHANICAL
ACT = ACOUSTICAL CEILING TILE	MIN = MINIMUM
AC TT = ACOUSTICAL CEILING TILE-REGULAR	MISC = MISCELLANEOUS
AFF = ABOVE FINISH FLOOR	MFR = MANUFACTURER
ALUM = ALUMINUM	MO = MASONRY OPENING
CBB = CEMENTITIOUS BACKER BOARD	MRT = MOISTURE RESISTANT TILE
CJ = CONTROL JOINT	NIC = NOT IN CONTRACT
CMU = CONCRETE MASONRY UNIT(S)	NTS = NOT TO SCALE
CO = CLEAN OUT	OC = ON CENTER
CONC = CONCRETE	OD = OUTSIDE DIAMETER
CONST = CONSTRUCTION	OFF = OFFICE
CORR = CORRIDOR	OPNG = OPENING
CT = CERAMIC TILE	OPP = OPPOSITE
CPT = CARPET	OTS = OPEN TO STRUCTURE
CPTT = CARPET TILE	PLAM = PLASTIC LAMINATE
DEMO = DEMOLISH/DEMOLITION	PT = PAINT or PRESSURE TREATED
DIA = DIAMETER	PVC = POLYVINYL CHLORIDE
DIM = DIMENSION	QT = QUARRY TILE
DN = DOWN	R = RISER
DWG = DRAWING	RAD = RADIUS
ECT = ENTRANCE CARPET TILE	RAF = RESILIENT ATHLETIC FLOORING
EJ = EXPANSION JOINT	RD = ROOF DRAIN
ELEC = ELECTRIC/ELECTRICAL	REBAR = REINFORCEMENT BAR(S)
EQ = EQUAL	REINF = REINFORCEMENT
ETR = EXISTING TO REMAIN	RH = ROBE HOOK
EXT = EXISTING	RM = ROOM
FD = FLOOR DRAIN	RMK = REMARK
FE = FIRE EXTINGUISHER	RO = ROUGH OPENING
PEC = FIRE EXTINGUISHER & CABINET	SF = SQUARE FOOT/FEET
FF = FINISH FLOOR	S#F = STAIN & FINISH
FHC = FIRE HOSE CABINET	SDT = STATIC DISSIPATING TILE
FIN = FINISH	SEAL = SEALED CONCRETE
FLR = FLOOR	SGB = SUSPENDED GYPSUM BOARD
FOC = FACE OF CONCRETE	SIM = SIMILAR
FOS = FACE OF STUD	SQ = SQUARE
FR = FIRE RATED	SS = STAINLESS STEEL
FRP = FIBERGLASS REINFORCED PANEL	STL = STEEL
FRS = FIRE-RATED SAFETY GLASS	STOR = STORAGE
FT = FOOT/FEET	STRUC = STRUCTURAL
FTG = FOOTING	SV = SHEET VINYL
GA = GAUGE	SWG = SPECIAL WALL GLAZE
GALV = GALVANIZED	T&G = TONGUE & GROOVE
GC = GENERAL CONTRACTOR	TEMP = TEMPERED
GLU.LAM = GLUE LAMINATED	TOS = TOP OF STEEL
GWB = GYPSUM WALL BOARD	TV = TELEVISION
GHM = GALVANIZED HOLLOW METAL	TOW = TOP OF WALL
HB = HOSE BIBB	TYP = TYPICAL
HM = HOLLOW METAL	UON = UNLESS OTHERWISE NOTED
HORIZ = HORIZONTAL	VAS = VERIFY AT SITE
HR = HOUR	VB = VINYL BASE
HVAC = HEATING/VENTILATING/AIR CONDITIONING	VCT = VINYL COMPOSITION TILE
ID = INSIDE DIAMETER	VERT = VERTICAL
INSUL = INSULATED	VIF = VERIFY IN FIELD
INT = INTERIOR	VT = VINYL TILE
JAN = JANITOR	VWC = VINYL WALL COVERING
JT = JOINT	WJ = WITH
LAM = LAMINATE	WC = WATER CLOSET
LAV = LAVATORY	E-WD = EXISTING WOOD - SAND & REFINISH
LVT = LUXURY VINYL TILE	N-WD = NEW WOOD
LWT = LIGHTWEIGHT	WD = WOOD
MAS = MASONRY	WH = WATER HEATER
MAT = MATERIAL	W/O = WITHOUT
MAX = MAXIMUM	WP = WATERPROOF(ING)
	WR = WATER RESISTANT
	WWM = WELDED WIRE MESH



Saccoccio & Associates, Inc.

1085 Park Avenue
Cranston, Rhode Island
02910

tel 401.942.7970
fax 401.942.7975

Consultant

NORTH SMITHFIELD NEW TOWN HALL RENOVATION FOR THE FORMER KENDALL DEAN

83 Greene Street
North Smithfield, RI 02896


NOTES

SHEET TITLE
SHEET LIST, SYMBOL & ABBREVIATION LEGENDS

DRAWN BY: FK JOB NUMBER: 18017
CHECKED BY: MS DATE: 07/11/2017

G1.0

SHEET: OF:



NOTES:
1. BASE WORK INCLUDES SEALANT
OF EXISTING SITE & STRIPING.
2. ALTERNATE WORK INCLUDES NEW
ASPHALT & STRIPING.

② NEW - Site Plan
1" = 20'-0"



**Saccoccio &
Associates, Inc.**
1085 Park Avenue tel 401.942.7970
Cranston, Rhode Island 02910 fax 401.942.7975

Consultant

**NORTH
SMITHFIELD NEW
TOWN HALL
RENOVATION
FOR THE
FORMER
KENDALL DEAN**

83 Greene Street
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date


SHEET TITLE
SITE

DRAWN BY:	FK	JOB NUMBER:	18017
CHECKED BY:	MS	DATE:	07/11/2017


A0.1 sd

SCHEMATIC DESIGN

SHEET: OF:



① EXISTING - BASEMENT PLAN
1/8" = 1'-0"



② EXISTING - 1st FLOOR PLAN
1/8" = 1'-0"



**Saccoccio &
Associates, Inc.**
1085 Park Avenue
Cranston, Rhode Island
02910
tel 401.942.7970
fax 401.942.7975

Consultant

NORTH SMITHFIELD NEW TOWN HALL RENOVATION FOR THE FORMER KENDALL DEAN

83 Greene Street
North Smithfield, RI 02896


NOTES

SHEET TITLE
EXISTING PLANS


DRAWN BY: FK	JOB NUMBER: 18017
CHECKED BY: MS	DATE: 07/11/2017

AE1.1

SHEET: OF:



① EXISTING - 2nd FLOOR PLAN
1/8" = 1'-0"



② EXISTING - ROOF PLAN
1/8" = 1'-0"



Saccoccio & Associates, Inc.
1085 Park Avenue
Cranston, Rhode Island
02910
tel 401.942.7970
fax 401.942.7975

Consultant

NORTH SMITHFIELD NEW TOWN HALL RENOVATION FOR THE FORMER KENDALL DEAN

83 Greene Street
North Smithfield, RI 02896

NOTES

SHEET TITLE
EXISTING PLANS


DRAWN BY: FK	JOB NUMBER: 18017
CHECKED BY: MS	DATE: 07/11/2017

AE1.2

SHEET: OF:


KEYNOTE LEGEND	
Key Value	Keynote Text
	REMOVE WALL IN ITS ENTIRETY.
1	REMOVE WALL IN ITS ENTIRETY.
2	REMOVE DOOR (AND SIDELIGHT WHERE EXISTS), TRIM, AND FRAME COMPLETELY.
3	REMOVE EXISTING STAIRS COMPLETELY.
4	REMOVE EXISTING TOILET PARTITIONS, CASEWORK/COUNTERTOPS AND PLUMBING FIXTURES. ALL PLUMBING TO BE REMOVED & CAPPED.
5	REMOVE CERAMIC TILE AND/OR OTHER FINISH FLOOR AND WALL MATERIALS DOWN TO CONCRETE AND CMU.

NOTES:
1. ALL FURNITURE SHOWN TO BE
FURNISHED BY OTHERS.



1
A1.0 sd
1/8" = 1'-0"

DEMOLITION - BASEMENT PLAN



2
A1.0 sd
1/8" = 1'-0"

NEW - BASEMENT PLAN



**Saccoccio &
Associates, Inc.**
1085 Park Avenue
Cranston, Rhode Island 02910
tel 401.942.7970
fax 401.942.7975

Consultant

NORTH
SMITHFIELD NEW
TOWN HALL
RENOVATION
FOR THE
FORMER
KENDALL DEAN

83 Greene Street
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date

SHEET TITLE
BASEMENT PLAN

DRAWN BY: FK JOB NUMBER: 18017
CHECKED BY: MS DATE: 07/11/2017

A1.0 sd

SCHEMATIC DESIGN

SHEET: OF:

DEMOLITION KEYNOTES
THE FOLLOWING KEYNOTES EXPAND UPON THE GENERAL DEMOLITION NOTES AND ARE TYPICAL THROUGHOUT THE PROJECT.

KEYNOTE LEGEND	
Key Value	Keynote Text
	REMOVE WALL IN ITS ENTIRETY.
1	REMOVE WALL IN ITS ENTIRETY.
2	REMOVE DOOR (AND SIDELIGHT WHERE EXISTS), TRIM, AND FRAME COMPLETELY.
3	REMOVE EXISTING STAIRS COMPLETELY.
4	REMOVE EXISTING TOILET PARTITIONS, CASEWORK/COUNTERTOPS AND PLUMBING FIXTURES. ALL PLUMBING TO BE REMOVED & CAPPED.
5	REMOVE CERAMIC TILE AND/OR OTHER FINISH FLOOR AND WALL MATERIALS DOWN TO CONCRETE AND CMU.

GENERAL DEMOLITION NOTES FOR ALL DEMOLITION DRAWINGS
THE CONTRACTOR SHALL:

1. VERIFY ALL DIMENSIONS AND SITE CONDITIONS RELATIVE TO NEW WORK AND FAMILIARIZE HIMSELF COMPLETELY WITH ALL EXISTING CONDITIONS RELATIVE TO THE NEW WORK CALLED FOR ON THE DRAWINGS AND SPECIFICATIONS. NO COMPENSATION FOR EXTRA WORK ON BEHALF OF THE CONTRACTOR WILL BE CONSIDERED THAT WOULD HAVE BEEN DETERMINED BY VISUAL OBSERVATION PRIOR TO BIDDING.

2. IDENTIFY EXISTING BEARING WALLS PRIOR TO COMMENCING DEMOLITION. PROVIDE TEMPORARY SHORING, BRACING, ETC. FOR ALL REMAINING STRUCTURE PRIOR TO DEMOLITION/REMOVAL OF ANY STRUCTURAL COMPONENT. SUCH TEMPORARY SUPPORTS SHALL BE ADEQUATE TO KEEP THE REMAINING BUILDING STATIC UNDER ALL SUBJECTED LOADING AND SHALL REMAIN IN PLACE UNTIL ALL NEW STRUCTURAL MEMBERS ARE COMPLETELY INSTALLED.

3. UNDERSTAND THAT UNLESS NOTED OTHERWISE, ALL BROKEN/DASHED LINES SHOWN ON DEMOLITION DRAWINGS INDICATE ITEMS TO BE REMOVED AND/OR RELOCATED. THE KEYNOTE SYMBOLS/BUBBLES GENERALLY POINT ONLY TO A SELECT FEW OF THESE ITEMS AND THE DEMOLITION KEYNOTES BELOW GIVE AN EXPLANATION OF THE DEMOLITION WORK TO BE DONE WHERE THESE DASHED LINES ARE SHOWN.

4. BE RESPONSIBLE FOR ALL CUTTING, FILLING, PATCHING AND/OR REPAIRING OF EXISTING WALLS, FLOORS AND CEILINGS AS REQUIRED FOR THE INSTALLATION OF ALL NEW MECHANICAL, ELECTRICAL AND PLUMBING WORK IN THE EXISTING BUILDING. (VERIFY ALL CONDITIONS AT THE SITE)

5. COORDINATE ALL MECHANICAL, ELECTRICAL AND PLUMBING WORK WITH THE ARCHITECTURAL DRAWINGS PRIOR TO PROCEEDING WITH THE NEW WORK IN ALL AREAS.

6. PROVIDE DUST PARTITIONS AS REQUIRED TO KEEP AREAS OUTSIDE OF WORK ARE FREE OF DIRT AND DUST. THE GENERAL CONTRACTOR WILL BE RESPONSIBLE FOR CLEANING ANY AREAS LEFT UNPROTECTED.

7. BE RESPONSIBLE TO CLEAN THE WORK AREA AT THE END OF EACH WORK DAY. ALL TRASH AND DEBRIS TO BE REMOVED FROM THE BUILDING AND LEGALLY DISPOSED OF.

8. AVOID DAMAGE TO ALL SURROUNDING ARCHITECTURAL ELEMENTS AND SURFACES DURING THE DEMOLITION PHASE BY THE USE OF NECESSARY PROTECTIVE COVERINGS, PADDING, ETC. REPLACEMENT/REPAIR TO ANY ELEMENTS DAMAGED DURING DEMOLITION SHALL BE AT THE CONTRACTORS EXPENSE, AND ALL WORK SHALL BE PERFORMED TO THE SATISFACTION OF THE OWNER AND ARCHITECT.


9. CONFORM TO ALL FEDERAL, STATE, AND LOCAL REQUIREMENTS FOR THE SAFE AND LEGAL REMOVAL AND DISPOSAL OF ALL MATERIALS.

10. REMOVE, ADJUST, MODIFY, CUT, ETC. ALL EXISTING CEILING, FLOOR, AND WALL COMPONENTS AS REQUIRED TO INSTALL ALL NEW, AND/OR RELOCATE ALL EXISTING, FIRE ALARM, FIRE PROTECTION, POWER/SIGNAL, LIGHTING, ETC. EQUIPMENT SHOWN ON ALL CONSTRUCTION DOCUMENTS INCLUDED IN THIS CONTRACT.

11. UNDERSTAND THAT UNLESS NOTED OTHERWISE, WHERE PORTIONS OF THE BUILDING ARE SCHEDULED FOR DEMOLITION, THE FOUNDATIONS, SLABS, ROOF SYSTEMS AND ALL OTHER RELATED ELEMENTS SHALL BE COMPLETELY REMOVED. SEE MEP DRAWINGS FOR OTHER REQUIRED WORK.


NOTES:

1. ALL FURNITURE SHOWN TO BE FURNISHED BY OTHERS.



2
A1.1 sd
1/8" = 1'-0"

DEMOLITION - 1st FLOOR PLAN



1
A1.1 sd
1/8" = 1'-0"

NEW - 1st FLOOR PLAN



Saccoccio & Associates, Inc.
1085 Park Avenue
Cranston, Rhode Island 02910
tel 401.942.7970
fax 401.942.7975

Consultant

NORTH SMITHFIELD NEW TOWN HALL RENOVATION FOR THE FORMER KENDALL DEAN

83 Greene Street
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date

SHEET TITLE
1st FLOOR PLAN

DRAWN BY: FK	JOB NUMBER: 18017
CHECKED BY: MS	DATE: 07/11/2017


A1.1 sd

SCHEMATIC DESIGN

SHEET:


OF:

KEYNOTE LEGEND	
Key Value	Keynote Text
	REMOVE WALL IN ITS ENTIRETY.
1	REMOVE WALL IN ITS ENTIRETY.
2	REMOVE DOOR (AND SIDELIGHT WHERE EXISTS), TRIM, AND FRAME COMPLETELY.
3	REMOVE EXISTING STAIRS COMPLETELY.
4	REMOVE EXISTING TOILET PARTITIONS, CASEWORK/COUNTERTOPS AND PLUMBING FIXTURES. ALL PLUMBING TO BE REMOVED & CAPPED.
5	REMOVE CERAMIC TILE AND/OR OTHER FINISH FLOOR AND WALL MATERIALS DOWN TO CONCRETE AND CMU.



1
A1.2 sd
1/8" = 1'-0"

DEMOLITION - 2nd FLOOR PLAN



2
A1.2 sd
1/8" = 1'-0"

NEW - 2nd FLOOR PLAN

NOTES:

1. ALL FURNITURE SHOWN TO BE FURNISHED BY OTHERS.



Saccoccio & Associates, Inc.
1085 Park Avenue
Cranston, Rhode Island 02910
tel 401.942.7970
fax 401.942.7975

Consultant

NORTH SMITHFIELD NEW TOWN HALL RENOVATION FOR THE FORMER KENDALL DEAN

83 Greene Street
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date



SHEET TITLE 2nd FLOOR PLAN

DRAWN BY: FK JOB NUMBER: 18017
CHECKED BY: MS DATE: 07/11/2017

A1.2 sd

SCHEMATIC DESIGN

SHEET: OF:



EXISTING EXTERIOR RENOVATION WORK:

- ① EXTERIOR MASONRY: REPAIR DAMAGED BRICK AND MASONRY; REPOINT DAMAGED MORTAR JOINTS, AND CAST STONE DETAILING.
- ② EXTERIOR WINDOWS: PROVIDE NEW ALUMINUM WINDOWS SIMILAR TO EXISTING. SUBJECT TO LOCAL HISTORIC REVIEW.
- ③ EXTERIOR DOORS: PROVIDE NEW ALUMINUM SIMILAR INSULATED EXTERIOR DOORS.
- ④ EXTERIOR WOOD WORK: PROVIDE NEW EXTERIOR PAINT SYSTEM AND REPAIRS INCLUDING ROOF AREA AND CUPOLA.
- ⑤ ROOF: PROVIDE NEW SHINGLES AND FLASHING SYSTEM AT ALL ROOFS.
- ⑥ RAILINGS AND IRON WORK: REPAIR WROUGHT IRON. REPOINTING/REPAIRING STONE STAIRS.
- ⑦ SIDEWALKS: REPAIR EXISTING CONCRETE SIDEWALKS.

NOTES:

- A. CUT OUT & REPOINT DETERIORATED MORTAR JOINTS. REPLACE ALUMINUM GUTTERS & DOWN SPOUTS.
- B. CUT OUT & REPOINT ALL VERTICAL JOINTS WITHIN STONE WATERTABLES.
- C. REMOVE ALL EXISTING IVY ON BUILDING. CUT OUT & REPOINT DAMAGED MORTAR JOINTS AS NEEDED.



**Saccoccio &
Associates, Inc.**

1085 Park Avenue tel 401.942.7970
Cranston, Rhode Island 02910 fax 401.942.7975

Consultant

**NORTH
SMITHFIELD NEW
TOWN HALL
RENOVATION
FOR THE
FORMER
KENDALL DEAN**

83 Greene Street
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date


SHEET TITLE
**EXTERIOR
ELEVATIONS**

DRAWN BY: FK JOB NUMBER: 18017
CHECKED BY: MS DATE: 07/11/2017

A2.0 sd


SCHEMATIC DESIGN

SHEET: OF:



1
A2.1 sd
1/8" = 1'-0"

NEW - SOUTH ELEVATION



2
A2.1 sd
1/8" = 1'-0"

NEW - WEST ELEVATION

EXISTING EXTERIOR RENOVATION WORK:

- 1 EXTERIOR MASONRY: REPAIR DAMAGED BRICK AND MASONRY, REPOINT DAMAGED MORTAR JOINTS, AND CAST STONE DETAILING.
- 2 EXTERIOR WINDOWS: PROVIDE NEW ALUMINUM WINDOWS SIMILAR TO EXISTING. SUBJECT TO LOCAL HISTORIC REVIEW.
- 3 EXTERIOR DOORS: PROVIDE NEW ALUMINUM SIMILAR INSULATED EXTERIOR DOORS.
- 4 EXTERIOR WOOD WORK: PROVIDE NEW EXTERIOR PAINT SYSTEM AND REPAIRS INCLUDING ROOF AREA AND CUPOLA.
- 5 ROOF: PROVIDE NEW SHINGLES AND FLASHING SYSTEM AT ALL ROOFS.
- 6 RAILINGS AND IRON WORK: REPAIR WROUGHT IRON. REPOINTING/REPAIRING STONE STAIRS.
- 7 SIDEWALKS: REPAIR EXISTING CONCRETE SIDEWALKS.

NOTES:

- A. CUT OUT & REPOINT DETERIORATED MORTAR JOINTS. REPLACE ALUMINUM GUTTERS & DOWN SPOUTS.
- B. CUT OUT & REPOINT ALL VERTICAL JOINTS WITHIN STONE WATERTABLES.
- C. REMOVE ALL EXISTING IVY ON BUILDING. CUT OUT & REPOINT DAMAGED MORTAR JOINTS AS NEEDED.



**Saccoccio &
Associates, Inc.**
1085 Park Avenue tel 401.942.7970
Cranston, Rhode Island 02910 fax 401.942.7975

Consultant

**NORTH
SMITHFIELD NEW
TOWN HALL
RENOVATION
FOR THE
FORMER
KENDALL DEAN**

83 Greene Street
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date


SHEET TITLE
**EXTERIOR
ELEVATIONS**

DRAWN BY: FK JOB NUMBER: 18017
CHECKED BY: MS DATE: 07/11/2017

A2.1 sd

SCHEMATIC DESIGN

SHEET: OF:



**Saccoccio &
Associates, Inc.**
1085 Park Avenue
Cranston, Rhode Island 02910
tel 401.942.7970
fax 401.942.7975

Consultant

**NORTH
SMITHFIELD NEW
TOWN HALL
RENOVATION
FOR THE
FORMER
KENDALL DEAN**

83 Greene Street
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date

SHEET TITLE
**SECTIONS &
DETAILS**

DRAWN BY:	FK	JOB NUMBER:	18017
CHECKED BY:	MS	DATE:	07/11/2017


A3.1 sd

SCHEMATIC DESIGN

SHEET: OF:

1
A3.1 sd
Section 5 sd
1/4" = 1'-0"

DOOR SCHEDULE																
NUMBER	TO ROOM	DOOR						FRAME				FIRE RATING	DETAILS		HARDWARE	COMMENTS
		WIDTH	HEIGHT	THICKNESS	ELEV	MATERIAL	FINISH	GLAZING	ELEV	MATERIAL	FINISH		HEAD	JAMB		
02	Mech	3' - 0"	7' - 0"	0' - 1 3/4"	D1	HM	PT	-	F1	HM	PT	-	-	-	10	
02A	Server Room	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F1	HM	PT	-	-	-	10	
04	CRAWL SPACE	2' - 8"	5' - 0"	0' - 1 3/4"	-	-	-	-	-	-	-	-	-	-	14	
05A	Radio Corr.	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F1	HM	PT	-	-	-	9	
05B	Radio Room	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	ETR	PT	-	-	-	9	
05C	EMA Office	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	9	
06	Basement Corridor	5' - 0"	7' - 0"	0' - 1 3/4"	D3	WD	S#F	-	F2	HM	PT	-	-	-	20	
07	Storage	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	13	
08	IT # STORAGE	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	13	
09	STORAGE CORRIDOR	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F1	HM	PT	-	-	-	10	
09A	STORAGE CORRIDOR	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F1	HM	PT	-	-	-	10	
010	WOMENS	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	16	
011	MENS	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	16	
012	Bathroom Corridor	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F1	HM	PT	-	-	-	11	
013	Jan. Closet	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	13	
014	Storage	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F1	HM	PT	-	-	-	10	
016	EMA Classroom	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F1	HM	PT	-	-	-	8	
016A	Storage	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F1	HM	PT	-	-	-	13	
017	Basement Stairway	5' - 0"	7' - 0"	0' - 1 3/4"	D3	WD	S#F	-	F2	HM	PT	-	-	-	20	
101	Storage	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	13	
102	Meeting Room	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	21	
103	First Floor Corridor	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F2	HM	PT	-	-	-	11	
104	Women	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	16	
105	Men	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	16	
106	Elev. Lobby	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	4	
106B	Elev. Lobby	3' - 6"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F1	HM	PT	90 MIN RATED DOOR	-	-	15	
107	Storage	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	10	
108	Chamber Room	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	8	
108A	Elevator Corridor	3' - 0"	7' - 0"	0' - 1 3/4"	D4	ALUM	PT	-	F1	ALUM	PT	-	-	-	1	CARD/PROX READER
109	Chamber Room	3' - 0"	7' - 0"	0' - 1 3/4"	D4	ALUM	PT	-	F1	ALUM	PT	-	-	-	1	CARD/PROX READER
109A	Chamber Room	3' - 0"	7' - 0"	0' - 1 3/4"	D4	ALUM	PT	-	F1	ALUM	PT	-	-	-	1	CARD/PROX READER
110	Chamber Room	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	13	
111	Chamber Room	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	8	
112	MENS	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	16	
113	WOMENS	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	16	
115	Inspections	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F2	HM	PT	-	-	-	8	
115A	Inspections	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	11	
116	Bldg insp	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	12	
117	Sewer	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	12	
118	First Floor Stairway	5' - 0"	7' - 0"	0' - 1 3/4"	D3	WD	S#F	-	F2	HM	PT	-	-	-	3	CARD/PROX READER
118A	First Floor Stairway	5' - 0"	7' - 0"	0' - 1 3/4"	D2	ALUM	PT	-	F3	ALUM	PT	-	-	-	1	CARD/PROX READER
119	Tax Collection	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F2	HM	PT	-	-	-	8	
119A	Tax Collection	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	11	
120	Tax Assessor	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	12	
121	Storage	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	13	
122	First Floor Corridor	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F2	HM	PT	-	-	-	5	
122A	First Floor Corridor	3' - 6"	7' - 0"	0' - 1 3/4"	D4	ALUM	PT	-	F3	ALUM	PT	-	-	-	1	CARD/PROX READER
123	Vault	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	10	
124	Office	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F2	HM	PT	-	-	-	8	
124A	Office	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	11	
125	Town Clerk	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	12	
127	First Floor Stairway	5' - 0"	7' - 0"	0' - 1 3/4"	D3	WD	S#F	-	F2	HM	PT	-	-	-	3	CARD/PROX READER
127A	First Floor Stairway	5' - 0"	7' - 0"	0' - 1 3/4"	D2	ALUM	PT	-	F3	ALUM	PT	-	-	-	1	CARD/PROX READER
201A	Conf Rm	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	8	
202	Women	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	16	
203	Men	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	16	
204	Second Flr Hall	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F2	HM	PT	-	-	-	11	
205	Town Administrator	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	12	
206	Conf Rm	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	8	
207	Admin # Waiting	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F2	HM	PT	-	-	-	8	
208	Town Planner	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	12	
209	Asst. Planner	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	12	
210	Plan Review / Mtg	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F2	HM	PT	-	-	-	8	
211	Second Floor Stairway	5' - 0"	7' - 0"	0' - 1 3/4"	D3	WD	S#F	-	F2	HM	PT	-	-	-	20	
212	Finance Director	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F	-	F2	HM	PT	-	-	-	12	




DOOR TYPES

- 1 DOOR AND FRAME ELEVATIONS
1/4" = 1'-0"

FRAME TYPES

DOOR SCHEDULE																
NUMBER	TO ROOM	DOOR							FRAME			FIRE RATING	DETAILS		HARDWARE	COMMENTS
		WIDTH	HEIGHT	THICKNESS	ELEV	MATERIAL	FINISH	GLAZING	ELEV	MATERIAL	FINISH		HEAD	JAMB		
213	Asst. Finance Director	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F		F2	HM	PT				12	
214	Waiting	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F2	HM	PT	-	-	-	8	
215	Payroll	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F		F2	HM	PT				12	
216	IT & Acct Payable	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F2	HM	PT	-	-	-	9	
216A	Waiting	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F		F2	HM	PT				9	
217	School Payroll Bookkeeping	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F2	HM	PT	-	-	-	9	
217A	School Payroll Bookkeeping	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F		F2	HM	PT				9	
219	School Payroll Bookkeeping	3' - 0"	7' - 0"	0' - 1 3/4"	D2	WD	S#F	-	F2	HM	PT	-	-	-	9	
220	Records Storage	3' - 0"	7' - 0"	0' - 1 3/4"	D1	WD	S#F		F2	HM	PT				13	
221	Second Floor Stairway	5' - 0"	7' - 0"	0' - 1 3/4"	D3	WD	S#F		F2	HM	PT				20	



Window Elevation
1/4" = 1'-0"

ARCHITECTURAL ABBREVIATION LEGEND

- = NO WORK NEEDED
ACT = ACOUSTICAL CEILING TILE
ACTT = ACOUSTICAL CEILING TILE-TEGULAR
AFF = ABOVE FINISH FLOOR
ALUM = ALUMINUM
CBB = CEMENTITIOUS BACKER BOARD
CJ = CONTROL JOINT
CMU = CONCRETE MASONRY UNIT(S)
CO = CLEAN OUT
CONC = CONCRETE
CONST = CONSTRUCTION
CORR = CORRIDOR
CT = CERAMIC TILE
CPT = CARPET
CPTT = CARPET TILE
DEMO = DEMOLISH/DEMOLITION
DIA = DIAMETER
DIM = DIMENSION
DN = DOWN
DWG = DRAWING
ECT = ENTRANCE CARPET TILE
EJ = EXPANSION JOINT
ELEC = ELECTRIC/ELECTRICAL
EQ = EQUAL
ETR = EXISTING TO REMAIN
EXT = EXISTING
FD = FLOOR DRAIN
FE = FIRE EXTINGUISHER
FEC = FIRE EXTINGUISHER # CABINET
FF = FINISH FLOOR
FHC = FIRE HOSE CABINET
FIN = FINISH
FLR = FLOOR
FOC = FACE OF CONCRETE
FOS = FACE OF STUD
FR = FIRE RATED
FRP = FIBERGLASS REINFORCED PANEL
FRS = FIRE-RATED SAFETY GLASS
FT = FOOT/FEET
FTG = FOOTING
GA = GAUGE
GALV = GALVANIZED
GC = GENERAL CONTRACTOR
GLU.LAM = GLUE LAMINATED
GWB = GYPSUM WALL BOARD
GHM = GALVANIZED HOLLOW METAL
HB = HOSE BIBB
HM = HOLLOW METAL
HORIZ = HORIZONTAL
HR = HOUR
HVAC = HEATING/VENTILATING/AIR CONDITIONING
ID = INSIDE DIAMETER
INSUL = INSULATED
INT = INTERIOR
JAN = JANITOR
JT = JOINT
LAM = LAMINATE
LAV = LAVATORY
LVT = LUXURY VINYL TILE
LWT = LIGHTWEIGHT
MAS = MASONRY
MAT = MATERIAL
MAX = MAXIMUM
MECH = MECHANICAL
MIN = MINIMUM
MISC = MISCELLANEOUS
MFR = MANUFACTURER
MO = MASONRY OPENING
MRT = MOISTURE RESISTANT TILE
NIC = NOT IN CONTRACT
NTS = NOT TO SCALE
OC = ON CENTER
OD = OUTSIDE DIAMETER
OFF = OFFICE
OPNG = OPENING
OPP = OPPOSITE
OTS = OPEN TO STRUCTURE
PLAM = PLASTIC LAMINATE
PT = PAINT or PRESSURE TREATED
PVC = POLYVINYL CHLORIDE
QT = QUARRY TILE
R = RISER
RAD = RADIUS
RAF = RESILIENT ATHLETIC FLOORING
RD = ROOF DRAIN
REBAR = REINFORCEMENT BAR(S)
REINF = REINFORCEMENT
RH = ROBE HOOK
RM = ROOM
RMK = REMARK
RO = ROUGH OPENING
SF = SQUARE FOOT/FEET
S#F = STAIN # FINISH
SDT = STATIC DISSIPATING TILE
SEAL = SEALED CONCRETE
SGB = SUSPENDED GYPSUM BOARD
SIM = SIMILAR
SQ = SQUARE
SS = STAINLESS STEEL
STL = STEEL
STOR = STORAGE
STRUC = STRUCTURAL
SV = SHEET VINYL
SWG = SPECIAL WALL GLAZE
T&G = TONGUE & GROOVE
TEMP = TEMPERED
TOS = TOP OF STEEL
TV = TELEVISION
TOW = TOP OF WALL
TYP = TYPICAL
UON = UNLESS OTHERWISE NOTED
VAS = VERIFY AT SITE
VB = VINYL BASE
VCT = VINYL COMPOSITION TILE
VERT = VERTICAL
VIF = VERIFY IN FIELD
VT = VINYL TILE
VWC = VINYL WALL COVERING
W/ = WITH
WC = WATER CLOSET
E-WD = EXISTING WOOD - SAND & REFINISH
N-WD = NEW WOOD
WD = WOOD
WH = WATER HEATER
W/O = WITHOUT
WP = WATERPROOF(ING)
WR = WATER RESISTANT
WWM = WELDED WIRE MESH



Saccoccio & Associates, Inc.

1085 Park Avenue
Cranston, Rhode Island
02910

tel 401.942.7970
fax 401.942.7975

Consultant

NORTH SMITHFIELD NEW TOWN HALL RENOVATION FOR THE FORMER KENDALL DEAN

83 Greene Street
North Smithfield, RI 02896

NOTES

SHEET TITLE DOOR & WINDOW SCHEDULES

DRAWN BY: FK JOB NUMBER: 18017

CHECKED BY: MS DATE: 07/11/2017

A6.1

SHEET:


OF:

ROOM FINISH SCHEDULE										
ROOM #	ROOM NAME	WALLS				FLOOR	BASE		CEILING	COMMENTS
		NORTH	SOUTH	EAST	WEST		MATERIAL	HEIGHT		
101	Storage	PT	PT	PT	PT	E-WD	VB	4"	ACT	
102	Meeting Room	PT	PT	PT	PT	E-WD	VB	4"	ACT	
103	Corridor	PT	PT	PT	PT	E-WD	VB	4"	ACT	
104	Women	PT/CWT	PT/CWT	PT/CW T	PT/CWT	CFT	CT	4"	ACT	4' HIGH CT WAINSCOT
105	Men	PT/CWT	PT/CWT	PT/CW T	PT/CWT	CT	CT	4"	ACT	4' HIGH CT WAINSCOT
106	Elev. Lobby	PT	PT	PT	PT	VT	VB	4"	ACT	
106B	Elev. Mach. RM.	PT	PT	PT	PT	CONC. SEAL	-		PT	2-HR RATED ROOM
107	Storage	PT	PT	PT	PT	VCT	VB	4"	ACT	
107A	Kiosk	PT	PT	PT	PT	E-WD	VB	4"	ACT	
108	Elevator Corridor	PT	PT	PT	PT	VT	VB	4"	ACT	ECT AT EXTERIOR DOOR LANDING
109	Chamber Room	PT	PT	PT	PT	E-WD	VB	4"	ACT	
110	Storage	PT	PT	PT	PT	E-WD	VB	4"	ACT	
111	Meeting Room	PT	PT	PT	PT	E-WD	VB	4"	ACT	
112	MENS	PT/CWT	PT/CWT	PT/CW T	PT/CWT	CFT	CT	4"	ACT	4' HIGH CT WAINSCOT
113	WOMENS	PT/CWT	PT/CWT	PT/CW T	PT/CWT	CFT	CT	4"	ACT	4' HIGH CT WAINSCOT
114	Zoning / Work	PT	PT	PT	PT	E-WD	VB	4"	ACT	
115	Inspections	PT	PT	PT	PT	E-WD	VB	4"	ACT	
116	Bldg insp	PT	PT	PT	PT	E-WD	VB	4"	ACT	
117	Sewer	PT	PT	PT	PT	E-WD	VB	4"	ACT	
118	First Floor Stairway	PT	PT	PT	PT	E-WD	VB	4"	ACT	
119	Tax Collection	PT	PT	PT	PT	E-WD	VB	4"	ACT	
120	Tax Assessor	PT	PT	PT	PT	E-WD	VB	4"	ACT	
121	Storage	PT	PT	PT	PT	E-WD	VB	4"	ACT	
122	First Floor Corridor	PT	PT	PT	PT	E-WD	VB	4"	ACT	
123	Vault	PT	PT	PT	PT	E-WD	VB	4"	ACT	
124	Office	PT	PT	PT	PT	E-WD	VB	4"	ACT	
125	Town Clerk	PT	PT	PT	PT	E-WD	VB	4"	ACT	
126	Copy / work	PT	PT	PT	PT	E-WD	VB	4"	ACT	
127	First Floor Stairway	PT	PT	PT	PT	E-WD	VB	4"	ACT	RUBBER TREADS, RISERS & LANDINGS
201	Conf Rm	PT	PT	PT	PT	E-WD	VB	4"	ACT	
202	Women	PT	PT	PT	PT	CFT	CT	4"	ACT	4' HIGH CT WAINSCOT
203	Men	PT	PT	PT	PT	CT	CT	4"	ACT	4' HIGH CT WAINSCOT
204	Second Flr Hall	PT	PT	PT	PT	E-WD	VB	4"	ACT	
205	Town Administrator	PT	PT	PT	PT	E-WD	VB	4"	ACT	
206	Conf Rm	PT	PT	PT	PT	E-WD	VB	4"	ACT	
207	Admin & Waiting	PT	PT	PT	PT	E-WD	VB	4"	ACT	
208	Town Planner	PT	PT	PT	PT	E-WD	VB	4"	ACT	
209	Asst. Planner	PT	PT	PT	PT	E-WD	VB	4"	ACT	
210	Plan Review / Mtg	PT	PT	PT	PT	E-WD	VB	4"	ACT	
211	Second Floor Stairway	PT	PT	PT	PT	E-WD	VB	4"	ACT	
212	Finance Director	PT	PT	PT	PT	E-WD	VB	4"	ACT	
213	Asst. Finance Director	PT	PT	PT	PT	E-WD	VB	4"	ACT	
214	Waiting	PT	PT	PT	PT	E-WD	VB	4"	ACT	
215	Payroll	PT	PT	PT	PT	E-WD	VB	4"	ACT	
216	IT & Acct Payable	PT	PT	PT	PT	E-WD	VB	4"	ACT	
217	School Payroll Bookkeeping	PT	PT	PT	PT	E-WD	VB	4"	ACT	
218	Second Floor Corridor	PT	PT	PT	PT	E-WD	VB	4"	ACT	
219	School Payroll Bookkeeping	PT	PT	PT	PT	E-WD	VB	4"	ACT	
220	Records Storage	PT	PT	PT	PT	E-WD	VB	4"	ACT	
221	Second Floor Stairway	PT	PT	PT	PT	E-WD	VB	4"	ACT	RUBBER TREADS, RISERS & LANDINGS
B01	Server Room	PT	PT	PT	PT	SDT	VB	4"	ACT	
B02	Mech	PT	PT	PT	PT	CONC. SEAL	-		PT-EXT	
B03	UNEXCAVATED									
B04	CRAWL SPACE									
B05A	Radio Corr.	PT	PT	PT	PT	VCT	VB	4"	ACT	
B05B	Radio Room	PT	PT	PT	PT	VCT	VB	4"	ACT	
B05C	EMA Office	PT	PT	PT	PT	VCT	VB	4"	ACT	
B06	Basement Stairway	PT	PT	PT	PT	E-WD	VB	4"	ACT	RUBBER TREADS, RISERS & LANDINGS
B07	Storage	PT	PT	PT	PT	VCT	VB	4"	ACT	
B08	IT & STORAGE	PT	PT	PT	PT	VCT	VB	4"	ACT	
B09	STORAGE CORRIDOR	PT	PT	PT	PT	VCT	VB	4"	ACT	
B10	WOMENS	PT/CWT	PT/CWT	PT/CW T	PT/CWT	CT	CT	4"	ACT	4' HIGH CT WAINSCOT
B11	MENS	PT/CWT	PT/CWT	PT/CW T	PT/CWT	CT	CT	4"	ACT	4' HIGH CT WAINSCOT
B12	Bathroom Corridor	PT	PT	PT	PT	E-WD	VB	4"	ACT	
B13	Jan. Closet	PT	PT	PT	PT	CFT	CT	4"	PT-EXT	
B14	Storage	PT	PT	PT	PT	VCT	VB	4"	ACT	
B15	Basement Corridor	PT	PT	PT	PT	E-WD	VB	4"	ACT	
B16	EMA Classroom	PT	PT	PT	PT	E-WD	VB	4"	ACT	
B17	Basement Stairway	PT	PT	PT	PT	E-WD	VB	4"	ACT	RUBBER TREADS, RISERS & LANDINGS

ARCHITECTURAL ABBREVIATION LEGEND


- = NO WORK NEEDED ACT = ACOUSTICAL CEILING TILE ACCT = ACOUSTICAL CEILING TILE-REGULAR AFF = ABOVE FINISH FLOOR ALUM = ALUMINUM CBB = CEMENTITIOUS BACKER BOARD CJ = CONTROL JOINT CMU = CONCRETE MASONRY UNIT(S) CO = CLEAN OUT CONC = CONCRETE CONST = CONSTRUCTION CORR = CORRIDOR CT = CERAMIC TILE CPT = CARPET CPTT = CARPET TILE DEMO = DEMOLISH/DEMOLITION DIA = DIAMETER DIM = DIMENSION DN = DOWN DWG = DRAWING ECT = ENTRANCE CARPET TILE EJ = EXPANSION JOINT ELEC = ELECTRIC/ELECTRICAL EQ = EQUAL ETR = EXISTING TO REMAIN EXT = EXISTING FD = FLOOR DRAIN FE = FIRE EXTINGUISHER FEC = FIRE EXTINGUISHER & CABINET FF = FINISH FLOOR FHC = FIRE HOSE CABINET FIN = FINISH FLR = FLOOR FOC = FACE OF CONCRETE FOS = FACE OF STUD FR = FIRE RATED FRP = FIBERGLASS REINFORCED PANEL FRS = FIRE-RATED SAFETY GLASS FT = FOOT/FEET FTG = FOOTING GA = GAUGE GALV = GALVANIZED GC = GENERAL CONTRACTOR GLU.LAM = GLUE LAMINATED GWB = GYPSUM WALL BOARD GHM = GALVANIZED HOLLOW METAL HB = HOSE BIBB HM = HOLLOW METAL HORIZ = HORIZONTAL HR = HOUR HVAC = HEATING/VENTILATING/AIR CONDITIONING ID = INSIDE DIAMETER INSUL = INSULATED INT = INTERIOR JAN = JANITOR JT = JOINT LAM = LAMINATE LAV = LAVATORY LVT = LUXURY VINYL TILE LWT = LIGHTWEIGHT MAS = MASONRY MAT = MATERIAL MAX = MAXIMUM	MECH = MECHANICAL MIN = MINIMUM MISC = MISCELLANEOUS MFR = MANUFACTURER MO = MASONRY OPENING MRT = MOISTURE RESISTANT TILE NIC = NOT IN CONTRACT NTS = NOT TO SCALE OC = ON CENTER OD = OUTSIDE DIAMETER OFF = OFFICE OPNG = OPENING OPP = OPPOSITE OTS = OPEN TO STRUCTURE PLAM = PLASTIC LAMINATE PT = PAINT or PRESSURE TREATED PVC = POLYVINYL CHLORIDE QT = QUARRY TILE R = RISER RAD = RADIUS RAF = RESILIENT ATHLETIC FLOORING RD = ROOF DRAIN REBAR = REINFORCEMENT BAR(S) REINF = REINFORCEMENT RH = ROBE HOOK RM = ROOM RMK = REMARK RO = ROUGH OPENING SF = SQUARE FOOT/FEET S4F = STAIN & FINISH SDT = STATIC DISSIPATING TILE SEAL = SEALED CONCRETE SGB = SUSPENDED GYPSUM BOARD SIM = SIMILAR SQ = SQUARE SS = STAINLESS STEEL STL = STEEL STOR = STORAGE STRUC = STRUCTURAL SV = SHEET VINYL SWG = SPECIAL WALL GLAZE T4G = TONGUE & GROOVE TEMP = TEMPERED TO5 = TOP OF STEEL TV = TELEVISION TOW = TOP OF WALL TYP = TYPICAL UON = UNLESS OTHERWISE NOTED VA5 = VERIFY AT SITE VB = VINYL BASE VCT = VINYL COMPOSITION TILE VERT = VERTICAL VIF = VERIFY IN FIELD VT = VINYL TILE VWC = VINYL WALL COVERING W/ = WITH WC = WATER CLOSET E-WD = EXISTING WOOD - SAND & REFINISH N-WD = NEW WOOD WD = WOOD WH = WATER HEATER W/O = WITHOUT WP = WATERPROOF(ING) WR = WATER RESISTANT WWM = WELDED WIRE MESH
--	---

WALL TAG LEGEND



GENERAL WALL NOTES

1. SEE "MATERIAL MODIFIERS" FOR REQUIRED MODIFICATIONS TO THE DESIGNATED WALL TYPES.
2. ALL FIRE RATED WALL ASSEMBLIES SHALL BE CONTINUOUS FROM THE FLOOR TO THE UNDERSIDE OF THE ROOF OR FLOOR DECK. INSTALL FIRE SAFING, CAULK, ETC. AS REQUIRED AT INTERSECTIONS OF FIRE-RATED WALLS AND ALL STRUCTURAL OR NON-STRUCTURAL ELEMENTS. FILL SPACES BETWEEN DECK FLUTES AND TOP OF WALLS TO ACQUIRE THE CONTINUOUS DESIGNATED FIRE RATING.
3. WALLS THAT ARE NOT SPECIFIED TO GO FULL HEIGHT SHALL TERMINATE A MINIMUM OF 6" ABOVE THE FINISH CEILING HEIGHT WITHIN ROOM AND BE ADEQUATELY BRACED.
4. PROVIDE CEMENTITIOUS BACKER BOARD AS BACK UP BEHIND ALL AREAS WHERE CERAMIC TILE OR STONE WALL BASE IS SCHEDULED.
5. ALL EXPOSED CORNERS OF CMU WALLS SHALL HAVE A 1" RADIUS.
6. ALL STEEL STUD WALLS THAT CONTINUE TO THE UNDERSIDE OF DECK SHALL HAVE DEFLECTION TRACKS AS REQUIRED.
7. ALL WOOD BLOCKING IS TO BE FIRE-RESISTANT.
8. ALL WOOD COMING IN CONTACT WITH CONCRETE OR MASONRY SHALL BE PRESSURE TREATED.
9. PROVIDE REQUIRED BLOCKING WITHIN WALLS, FLOORS AND CEILINGS FOR ALL RESTROOM AND KITCHEN ACCESSORIES, WALL MOUNTED ELECTRONIC AND OTHER EQUIPMENT, ETC.
10. ANY WALL NOT HAVING A WALL-TYPE TAG SHALL BE CONSIDERED TO BE AT A MINIMUM 3/8" STEEL STUDS @ 16" OC WITH 5/8" TYPE "X" GWB ON EACH SIDE. NOTIFY THE ARCHITECT PRIOR TO CONSTRUCTING ANY UNDESIGNATED WALL.



TYPICAL NEW WALL TYPES - FOR
REFERENCE PURPOSES ONLY -
SUBJECT TO FINAL DESIGN DOCUMENT
② 1 1/2" = 1'-0"

MATERIAL MODIFIERS

"a" = FILL STUD CAVITY FULL HEIGHT WITH SOUND ATTENUATION BATTING. WALL ASSEMBLIES HAVING THIS MODIFIER SHALL BE CONTINUOUS FROM THE FLOOR TO THE UNDERSIDE OF THE ROOF OR FLOOR DECK ABOVE. PROVIDE CAULKING/SEALANT AS REQUIRED FOR CONTINUOUS MEMBRANE.

"b" = OMIT GWB ON ONE SIDE.

"c" = PROVIDE CEMENTITIOUS BACKER BOARD AS BACK UP BEHIND ALL AREAS WHERE CERAMIC TILE AND/OR STONE WALL BASE IS SCHEDULED..

"d" = SUBSTITUTE 5/8" MOISTURE RESISTANT GWB IN LIEU OF STANDARD GWB TO MOISTURE PRONE SIDE OF WALL/S IN LOCKER ROOMS, RESTROOMS, ETC. ALSO, SEE GENERAL NOTE #4.

"e" = SUBSTITUTE 5/8" ABUSE RESISTANT GWB (ALSO TO BE FIRE RATED WHERE DESIGNATED AS SUCH) IN LIEU OF STANDARD 5/8" GWB ON BOTH SIDES UNLESS NOTED OTHERWISE.


"f" = ADD 7/8" METAL FURRING VERTICALLY @ 16" OC AND 5/8" GWB TO DESIGNATED SIDE OF WALL. SEE PLANS FOR DESIGNATION.

"g" = PARTITION TO BE A SMOKE ENCLOSURE AND SHALL BE COMPLETELY SEALED WITH AN APPROVED SEALANT AT ENTIRE PERIMETER INCLUDING THE INTERSECTIONS OF ALL WALLS, FLOOR/ROOF DECKS, ETC.

"h" = HALF HEIGHT PARTITION.

FIRE RATING MODIFIERS

"1" = WALL TO HAVE A MINIMUM OF ONE HOUR FIRE RATING.
UL DESIGN #U425 WHERE STEEL STUDS ARE USED
UL DESIGN #U905 WHERE 8" NOMINAL CMU IS USED.



NORTH
SMITHFIELD NEW
TOWN HALL
RENOVATION
FOR THE
FORMER
KENDALL DEAN

83 Greene Street
North Smithfield, RI 02896

NOTES


SHEET TITLE

FINISH
SCHEDULE

DRAWN BY: FK	JOB NUMBER: 18017
CHECKED BY: MS	DATE: 07/11/2017

A6.2

SHEET: OF:



LEGEND

ACOUSTICAL LAY-IN TILE

NEW PAINTED 5/8" GWB.
PROVIDE METAL CEILING OR
SOFFIT CONSTRUCTION AS
REQUIRED

X'-X"
CEILING HEIGHT
OTS = OPEN TO
STRUCTURE

NOTES

1. PROVIDE 3 1/2" SOUND ATTENUATION BATTS IN CEILING WHERE NOTED.

1 BASEMENT REFLECTED CEILING PLAN
1/8" = 1'-0"



**Saccoccio &
Associates, Inc.**
1085 Park Avenue tel 401.942.7970
Cranston, Rhode Island 02910 fax 401.942.7975

Consultant

**NORTH
SMITHFIELD NEW
TOWN HALL
RENOVATION
FOR THE
FORMER
KENDALL DEAN**

83 Greene Street
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date

SHEET TITLE

**BASEMENT
FLOOR
REFLECTED
CEILING PLAN**


DRAWN BY:	FK	JOB NUMBER:	18017
CHECKED BY:	MS	DATE:	07/11/2017

A8.0

SCHEMATIC DESIGN

SHEET:

OF:



LEGEND

ACOUSTICAL LAY-IN TILE

NEW PAINTED 5/8" GWB.
PROVIDE METAL CEILING OR
SOFFIT CONSTRUCTION AS
REQUIRED

CEILING HEIGHT
OTS = OPEN TO
STRUCTURE

NOTES

1. PROVIDE 3 1/2" SOUND ATTENUATION BATTS IN CEILING WHERE NOTED.



**Saccoccio &
Associates, Inc.**
1085 Park Avenue
Cranston, Rhode Island
02910

tel 401.942.7970
fax 401.942.7975

Consultant

**NORTH
SMITHFIELD NEW
TOWN HALL
RENOVATION
FOR THE
FORMER
KENDALL DEAN**

83 Greene Street
North Smithfield, RI 02896

NOTES


SHEET TITLE
**1st FLOOR
REFLECTED
CEILING PLAN**

DRAWN BY: FK JOB NUMBER: 18017
CHECKED BY: MS DATE: 07/11/2017

A8.1

SHEET: OF:

1 1st FLOOR REFLECTED CEILING PLAN
1/8" = 1'-0"



LEGEND

ACOUSTICAL LAY-IN TILE

NEW PAINTED 5/8" GWB.
PROVIDE METAL CEILING OR
SOFFIT CONSTRUCTION AS
REQUIRED

X'-X"
CEILING HEIGHT
OTS = OPEN TO
STRUCTURE

NOTES

1. PROVIDE 3 1/2" SOUND ATTENUATION BATTS IN CEILING WHERE NOTED.

1 2nd FLOOR REFLECTED CEILING PLAN
1/8" = 1'-0"



**Saccoccio &
Associates, Inc.**
1085 Park Avenue
Cranston, Rhode Island
02910
tel 401.942.7970
fax 401.942.7975

Consultant

**NORTH
SMITHFIELD NEW
TOWN HALL
RENOVATION
FOR THE
FORMER
KENDALL DEAN**

83 Greene Street
North Smithfield, RI 02896

NOTES

SHEET TITLE
**2nd FLOOR
REFLECTED
CEILING PLAN**

DRAWN BY:	FK	JOB NUMBER:	18017
CHECKED BY:	MS	DATE:	07/11/2017

A8.2

SHEET: OF:


POLICE HEADQUARTERS

FORMER BUSHEE SCHOOL

RENOVATION

FOR THE

TOWN OF NORTH SMITHFIELD



ARCHITECTS

SACCOCCIO & ASSOCIATES, INC.
1085 PARK AVENUE CRANSTON, RI 02910



MECHANICAL, PLUMBING AND FIRE PROTECTION ENGINEERS

BUILDING ENGINEERING RESOURCES, Inc.
100 MIDWAY ROAD - SUITE 23 CRANSTON, RI 02920


GENERAL
G1.0 SHEET LIST, SYMBOL & ABBREVIATION LEGENDS

ARCHITECTURAL
A0.1 sd SITE
A0.1.1 EXISTING BASEMENT PLANS
A0.1.2 EXISTING 1st FLOOR PLAN
A1.0 sd BASEMENT FLOOR PLAN
A1.1 sd 1st FLOOR PLAN
A1.2 sd ROOF PLAN
A2.0 sd EXTERIOR ELEVATIONS
A2.1 sd EXTERIOR ELEVATIONS
A3.1 sd SECTIONS & DETAILS
A6.1 DOOR & WINDOW SCHEDULES
A6.2 FINISH SCHEDULE
A8.0 BASEMENT REFLECTED CEILING PLAN
A8.1 1st FLOOR REFLECTED CEILING PLAN


BASE BID "B"
FOR REVIEW & APPROVAL

DATE: JULY 25, 2018


ARCHITECTURAL SYMBOLS LEGEND




DETAIL BOUNDARY




THERMAL AND/OR ACOUSTICAL
BATT/BLANKET INSULATION




SECTION MARK




EARTH




INTERIOR ELEVATION




CONCRET
E




EXTERIOR
ELEVATION




BRICK




FF&E TAG




CONCRETE MASONRY UNITS




MATERIAL TAG



RIGID INSULATION




REVISION TAG




PLYWOOD




GRAPHIC SCALE




ROUGH WOOD




NORTH ARROW




GYPSUM WALLBOARD




ELEVATION MARK




STEEL



DOOR TAG



WINDOW TAG



ROOM TAG

GENERAL NOTES
THE DESIGN/BUILDER SHALL:

1. UNDERSTAND THAT THE TERM "PROVIDE" AS LISTED ON THE ARCHITECTURAL DRAWINGS SHALL MEAN "FURNISH AND INSTALL".

2. VISIT THE JOB SITE AND FAMILIARIZE THEMSELVES COMPLETELY WITH ALL EXISTING CONDITIONS RELATIVE TO THE NEW WORK CALLED FOR ON THE DRAWINGS AND SPECIFICATIONS.

3. UNDERSTAND THAT THE TERM "MATCH EXISTING" AS LISTED ON THESE DRAWINGS SHALL MEAN THAT ALL WORK TO BE PERFORMED MUST BE OF SIMILAR MATERIALS, CONSTRUCTION AND FINISHED TO THE LINES OF ADJACENT WORK IN ALL RESPECTS.

4. BE RESPONSIBLE FOR ALL CUTTING, FILLING, PATCHING AND/OR REPAIRING OF EXISTING WALLS, FLOORS AND CEILINGS AS REQUIRED FOR THE INSTALLATION OF ALL NEW MECHANICAL, ELECTRICAL AND PLUMBING WORK IN THE EXISTING BUILDING. (VERIFY ALL CONDITIONS AT THE SITE).

5. PATCH AND REPAIR ALL WALLS, FLOORS, AND CEILINGS IN ALL AREAS AFFECTED BY DEMOLITION WORK. ALL WORK TO BE PERFORMED MUST BE OF SIMILAR MATERIALS, CONSTRUCTION AND FINISHED TO THE LINES OF ADJACENT WORK IN ALL RESPECTS.

6. PROVIDE DUST PARTITIONS AS REQUIRED TO KEEP AREAS OUTSIDE OF SCOPE FREE OF DIRT AND DUST.

7. BE RESPONSIBLE TO CLEAN THE WORK AREA AT THE END OF EACH WORK DAY. ALL TRASH AND DEBRIS TO BE REMOVED FROM THE BUILDING.

GENERAL

G1.0 SHEET LIST, SYMBOL & ABBREVIATION LEGENDS

ARCHITECTURAL

A0.1 sd SITE
AE1.1 EXISTING BASEMENT PLANS
AE1.2 EXISTING 1st FLOOR PLAN
A1.0 sd BASEMENT FLOOR PLAN
A1.1 sd 1st FLOOR PLAN
A1.2 sd ROOF PLAN
A2.0 sd EXTERIOR ELEVATIONS
A2.1 sd EXTERIOR ELEVATIONS
A3.1 sd SECTIONS & DETAILS
AG.1 DOOR & WINDOW SCHEDULES
AG.2 FINISH SCHEDULE
AB.0 BASEMENT REFLECTED CEILING PLAN
AB.1 1st FLOOR REFLECTED CEILING PLAN

ARCHITECTURAL ABBREVIATION LEGEND

- = NO WORK NEEDED ACT = ACOUSTICAL CEILING TILE ACTT = ACOUSTICAL CEILING TILE-TEGULAR AFF = ABOVE FINISH FLOOR ALUM = ALUMINUM CBB = CEMENTITIOUS BACKER BOARD CPT = CERAMIC FLOOR TILE CJ = CONTROL JOINT CMU = CONCRETE MASONRY UNIT(S) CO = CLEAN OUT CONC = CONCRETE CONST = CONSTRUCTION CORR = CORRIDOR CT = CERAMIC TILE CPT = CARPET CPTT = CARPET TILE CWT = CERAMIC WALL TILE DEMO = DEMOLISH/DEMOLITION DIA = DIAMETER DIM = DIMENSION DN = DOWN DWG = DRAWING ECT = ENTRANCE CARPET TILE EJ = EXPANSION JOINT ELEC = ELECTRIC/ELECTRICAL EPX = POURED EPOXY FLOOR EQ = EQUAL ETR = EXISTING TO REMAIN EXT = EXISTING FD = FLOOR DRAIN FE = FIRE EXTINGUISHER FEC = FIRE EXTINGUISHER & CABINET FF = FINISH FLOOR FHC = FIRE HOSE CABINET FIN = FINISH FLR = FLOOR FOC = FACE OF CONCRETE FOS = FACE OF STUD FR = FIRE RATED FRP = FIBERGLASS REINFORCED PANEL FRS = FIRE-RATED SAFETY GLASS FT = FOOT/FEET FTG = FOOTING GA = GAUGE GALV = GALVANIZED GC = GENERAL CONTRACTOR GLU.LAM = GLUE LAMINATED GWB = GYPSUM WALL BOARD GHM = GALVANIZED HOLLOW METAL HB = HOSE BIBB HM = HOLLOW METAL HORIZ = HORIZONTAL HR = HOUR HVAC = HEATING/VENTILATING/AIR CONDITIONING ID = INSIDE DIAMETER INSUL = INSULATED INT = INTERIOR JAN = JANITOR JT = JOINT LAM = LAMINATE LAV = LAVATORY LWT = LIGHTWEIGHT MAS = MASONRY MAT = MATERIAL MAX = MAXIMUM	MECH = MECHANICAL MIN = MINIMUM MISC = MISCELLANEOUS MFR = MANUFACTURER MO = MASONRY OPENING MR-CPTT = MOISTURE RESISTANT CARPET TILE MRT = MOISTURE RESISTANT CEILING TILE NIC = NOT IN CONTRACT NTS = NOT TO SCALE OC = ON CENTER OD = OUTSIDE DIAMETER OFF = OFFICE OPNG = OPENING OPP = OPPOSITE OTS = OPEN TO STRUCTURE PLAM = PLASTIC LAMINATE PT = PAINT or PRESSURE TREATED PVC = POLYVINYL CHLORIDE QT = QUARRY TILE R = RISER RAD = RADIUS RAF = RESILIENT ATHLETIC FLOORING RD = ROOF DRAIN REBAR = REINFORCEMENT BAR(S) REINF = REINFORCEMENT RH = ROBE HOOK RM = ROOM RMK = REMARK RO = ROUGH OPENING SF = SQUARE FOOT/FEET S#F = STAIN & FINISH SDT = STATIC DISSIPATING TILE SEAL = SEALED CONCRETE SGB = SUSPENDED GYPSUM BOARD SIM = SIMILAR SQ = SQUARE SS = STAINLESS STEEL STL = STEEL STOR = STORAGE STRUC = STRUCTURAL SV = SHEET VINYL SWG = SPECIAL WALL GLAZE T#G = TONGUE & GROOVE TEMP = TEMPERED TOS = TOP OF STEEL TV = TELEVISION TOW = TOP OF WALL TYP = TYPICAL UON = UNLESS OTHERWISE NOTED VAS = VERIFY AT SITE VB = VINYL BASE VCT = VINYL COMPOSITION TILE VERT = VERTICAL VIF = VERIFY IN FIELD VT = VINYL TILE VWC = VINYL WALL COVERING W/ = WITH WC = WATER CLOSET WD = WOOD WH = WATER HEATER W/O = WITHOUT WP = WATERPROOF(ING) WR = WATER RESISTANT WWM = WELDED WIRE MESH
--	--



ARCHITECTS

**Saccoccio &
Associates, Inc.**

1085 Park Avenue tel 401.942.7970
Cranston, Rhode Island 02910 fax 401.942.7975

Consultant

NORTH
SMITHFIELD
POLICE
HEADQUARTERS
RENOVATION
FOR THE
FORMER BUSHEE
SCHOOL

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule

Revision Number	Revision Date
-----------------	---------------

SHEET TITLE

SHEET LIST,
SYMBOL &
ABBREVIATION
LEGENDS


DRAWN BY: FK JOB NUMBER: 17044

CHECKED BY: MS DATE: 07/25/2018

G1.0

SHEET:

OF:



ARCHITECTS

**Saccoccio &
Associates, Inc.**

1085 Park Avenue tel 401.942.7970
Cranston, Rhode Island 02910 fax 401.942.7975

Consultant

**NORTH
SMITHFIELD
POLICE
HEADQUARTERS
RENOVATION
FOR THE
FORMER BUSHEE
SCHOOL**

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date

SHEET TITLE
SITE


DRAWN BY:	FK	JOB NUMBER:	17044
CHECKED BY:	MS	DATE:	07/25/2018

A0.1 sd

SCHEMATIC DESIGN

SHEET:

OF:



1
AE1.1

EXISTING - BASEMENT PLAN

1/8" = 1'-0"



ARCHITECTS

**Saccoccio &
Associates, Inc.**
1085 Park Avenue
Cranston, Rhode Island 02910
tel 401.942.7970
fax 401.942.7975

Consultant

NORTH
SMITHFIELD
POLICE
HEADQUARTERS
RENOVATION
FOR THE
FORMER BUSHEE
SCHOOL

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date


SHEET TITLE

EXISTING
BASEMENT
PLANS

DRAWN BY:	FK	JOB NUMBER:	17044
CHECKED BY:	MS	DATE:	07/25/2018

AE1.1

SHEET: OF:



1
AE1.2
1/8" = 1'-0"

EXISTING - 1st FLOOR PLAN



ARCHITECTS

**Saccoccio &
Associates, Inc.**

1085 Park Avenue
Cranston, Rhode Island 02910

tel 401.942.7970
fax 401.942.7975

Consultant

**NORTH
SMITHFIELD
POLICE
HEADQUARTERS
RENOVATION
FOR THE
FORMER BUSHEE
SCHOOL**

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule

Revision Number	Revision Date
--------------------	---------------

SHEET TITLE

**EXISTING 1st
FLOOR PLAN**


DRAWN BY: FK JOB NUMBER: 17044

CHECKED BY: MS DATE: 07/25/2018

AE1.2


SHEET:

OF:



1 DEMOLITION - BASEMENT PLAN
A1.0 sd 1/8" = 1'-0"

KEYNOTE LEGEND	
Key Value	Keynote Text
1	
2	
3	REMOVE EXISTING TOILET PARTITIONS, CASEWORK/COUNTERTOPS AND PLUMBING FIXTURES.
4	REMOVE EXISTING STAIRS COMPLETELY.



2 NEW - BASEMENT PLAN
A1.0 sd 1/8" = 1'-0"

ARCHITECTURAL LEGEND	
	DEMOLITION
	PROPOSED
	EXISTING
	ALTERNATE #3 SCOPE



Saccoccio & Associates, Inc.
1085 Park Avenue
Cranston, Rhode Island 02910
tel 401.942.7970
fax 401.942.7975

Consultant

NORTH SMITHFIELD POLICE HEADQUARTERS RENOVATION FOR THE FORMER BUSHEE SCHOOL

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date


SHEET TITLE BASEMENT FLOOR PLAN

DRAWN BY:	FK	JOB NUMBER:	17044
CHECKED BY:	MS	DATE:	07/25/2018

A1.0 sd


SCHEMATIC DESIGN

SHEET: OF:



1 DEMOLITION - 1st FLOOR PLAN
1/8" = 1'-0"

KEYNOTE LEGEND	
Key Value	Keynote Text
1	
2	
3	REMOVE EXISTING TOILET PARTITIONS, CASEWORK/COUNTERTOPS AND PLUMBING FIXTURES.
4	REMOVE EXISTING STAIRS COMPLETELY.



2 NEW - 1st FLOOR PLAN
1/8" = 1'-0"



Saccoccio & Associates, Inc.
1085 Park Avenue
Cranston, Rhode Island 02910
tel 401.942.7970
fax 401.942.7975

Consultant

NORTH SMITHFIELD POLICE HEADQUARTERS RENOVATION FOR THE FORMER BUSHEE SCHOOL

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date

SHEET TITLE


1st FLOOR PLAN

DRAWN BY:	FK	JOB NUMBER:	17044
CHECKED BY:	MS	DATE:	07/25/2018

A1.1 sd

SCHEMATIC DESIGN

SHEET: OF:



1
A1.2 sd
NEW - ROOF PLAN
1/8" = 1'-0"



**Saccoccio &
Associates, Inc.**
1085 Park Avenue tel 401.942.7970
Cranston, Rhode Island 02910 fax 401.942.7975

Consultant

**NORTH
SMITHFIELD
POLICE
HEADQUARTERS
RENOVATION
FOR THE
FORMER BUSHEE
SCHOOL**

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date

SHEET TITLE
ROOF PLAN


DRAWN BY:	FK	JOB NUMBER:	17044
CHECKED BY:	MS	DATE:	07/25/2018

A1.2 sd
SCHEMATIC DESIGN

SHEET: OF:

EXISTING EXTERIOR RENOVATION WORK:

- 1
- EXTERIOR MASONRY: REPAIR DAMAGED BRICK AND MASONRY, REPOINT DAMAGED MORTAR JOINTS, AND CAST STONE DETAILING.
- 2
- EXTERIOR WINDOWS: PROVIDE NEW SIMILAR INSULATED WINDOWS.
- 3
- DECORATIVE EXTERIOR COPPER WORK: REPAIR DAMAGE EXISTING COPPER INCLUDING: CORNICE AND ROOF PARAPET WALL CAP AND ENTRY DOOR PEDIMENTS.
- 4
- EXISTING ROOFS: PROVIDE NEW MEMBRANE ROOF SYSTEM.
- 5
- RAILINGS AND IRON WORK: PROVIDE EXTERIOR PAINT SYSTEM.
- 6
- SIDEWALKS: REPAIR EXISTING CONCRETE SIDEWALKS.




1

A2.0 sd

NORTH ELEVATION

1/8" = 1'-0"



2

A2.0 sd

EAST ELEVATION

1/8" = 1'-0"



**Saccoccio &
Associates, Inc.**
1085 Park Avenue
Cranston, Rhode Island 02910
tel 401.942.7970
fax 401.942.7975

Consultant

NORTH
SMITHFIELD
POLICE
HEADQUARTERS
RENOVATION
FOR THE
FORMER BUSHEE
SCHOOL

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date


SHEET TITLE
EXTERIOR
ELEVATIONS

DRAWN BY:	FK	JOB NUMBER:	17044
CHECKED BY:	MS	DATE:	07/25/2018

A2.0 sd

SCHEMATIC DESIGN

SHEET: OF:



EXISTING EXTERIOR RENOVATION WORK:

- ① EXTERIOR MASONRY: REPAIR DAMAGED BRICK AND MASONRY, REPOINT DAMAGED MORTAR JOINTS, AND CAST STONE DETAILING.
- ② EXTERIOR WINDOWS: PROVIDE NEW SIMILAR INSULATED WINDOWS.
- ③ DECORATIVE EXTERIOR COPPER WORK: REPAIR DAMAGE EXISTING COPPER INCLUDING: CORNICE AND ROOF PARAPET WALL CAP AND ENTRY DOOR PEDIMENTS.
- ④ EXISTING ROOFS: PROVIDE NEW MEMBRANE ROOF SYSTEM.
- ⑤ RAILINGS AND IRON WORK: PROVIDE EXTERIOR PAINT SYSTEM.
- ⑥ SIDEWALKS: REPAIR EXISTING CONCRETE SIDEWALKS.



ARCHITECTS

**Saccoccio &
Associates, Inc.**
1085 Park Avenue tel 401.942.7970
Cranston, Rhode Island 02910 fax 401.942.7975

Consultant

**NORTH
SMITHFIELD
POLICE
HEADQUARTERS
RENOVATION
FOR THE
FORMER BUSHEE
SCHOOL**

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule

Revision Number	Revision Date
-----------------	---------------


SHEET TITLE
**EXTERIOR
ELEVATIONS**

DRAWN BY:	FK	JOB NUMBER:	17044
CHECKED BY:	MS	DATE:	07/25/2018

A2.1 sd


SCHEMATIC DESIGN

SHEET: OF:



1
A3.1 sd
1/2" = 1'-0"

SALLY PORT SECTION



2
A3.1 sd
1/4" = 1'-0"

Section 1



**Saccoccio &
Associates, Inc.**
1085 Park Avenue
Cranston, Rhode Island 02910
tel 401.942.7970
fax 401.942.7975

Consultant

**NORTH
SMITHFIELD
POLICE
HEADQUARTERS
RENOVATION
FOR THE
FORMER BUSHEE
SCHOOL**

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date

SHEET TITLE
**SECTIONS &
DETAILS**

DRAWN BY: FK JOB NUMBER: 17044
CHECKED BY: MS DATE: 07/25/2018

A3.1 sd

SCHEMATIC DESIGN


SHEET:

OF:


DOOR SCHEDULE															
NUMBER	TO ROOM	DOOR						FRAME			FIRE RATING	DETAILS		HARDWARE	COMMENTS
		WIDTH	HEIGHT	THICKNESS	ELEV	MATERIAL	FINISH	GLAZING	ELEV	MATERIAL		FINISH	HEAD		
1	Mech	3' - 0"	7' - 0"	0' - 1 3/4"	A	WD	S4F		F2	HM	PT			10	
2	Booking	3' - 0"	7' - 0"	0' - 1 3/4"	C	ALUM	PT		F1	HM	PT			8	
3	Entry	3' - 0"	7' - 2"	0' - 1 3/4"	C	ALUM	PT		F2	HM	PT			8	
4A	Entry	3' - 0"	6' - 8"	0' - 1 3/4"	A	ALUM	PT		F1	HM	PT			4	CARD/PROX READER
4B	Entry	3' - 0"	7' - 0"	0' - 1 3/4"	C	ALUM	PT		F1	HM	PT			4	CARD/PROX READER
5	Interview	3' - 0"	7' - 0"	0' - 1 3/4"	B	ALUM	PT		F1	HM	PT			8	
6	Entry	3' - 0"	7' - 0"	0' - 1 3/4"	A	ALUM	PT		F1	HM	PT			DETENTION	
7	Cell #1	3' - 0"	7' - 0"	0' - 1 3/4"	D1	ALUM	PT		F1	HM	PT			DETENTION	
8	Mech	3' - 0"	7' - 0"	0' - 1 3/4"	A	WD	S4F		F1	HM	PT			10	
9	BGI Stor	3' - 0"	6' - 8"	0' - 1 3/4"	A	WD	S4F		F1	HM	PT			10	
10	Jan. Closet	3' - 0"	6' - 8"	0' - 1 3/4"	A	WD	S4F		F1	HM	PT			10	
11	Armory	3' - 0"	6' - 8"	0' - 1 3/4"	A	WD	S4F		F2	HM	PT			10	
12	Woman	3' - 0"	6' - 8"	0' - 1 3/4"	A	WD	S4F		F2	HM	PT			16	
13	Womens Locker Rm	3' - 0"	6' - 8"	0' - 1 3/4"	A	WD	S4F		F2	HM	PT			10	
14	Temp Evidence Rm.	3' - 0"	6' - 8"	0' - 1 3/4"	A	WD	S4F		F2	HM	PT			10	
16	POLICE WORK OUT AREA	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F1	HM	PT			1	CARD/PROX READER
16B	Stairwell	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			5	CARD/PROX READER
17	STORAGE	2' - 6"	7' - 0"	0' - 2"	ETR	ETR	S4F		F2	HM	PT			13	
18	Hallway	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	WD	S4F		F2	HM	PT			5	CARD/PROX READER
19	Mens Locker Room (25)	3' - 0"	7' - 0"	0' - 1 3/4"	A	WD	S4F		F1	HM	PT			17	
21	Hallway	3' - 0"	6' - 1"	0' - 1 3/4"	ETR	ALUM	PT		F1	HM	PT			1	CARD/PROX READER
22	Evidence	3' - 0"	7' - 0"	0' - 1 3/4"	A	WD	S4F		F1	HM	PT			10	
23	Electrical	3' - 0"	6' - 8"	0' - 1 3/4"	A	ETR	S4F		F1	HM	PT			10	
26	Cell Corridor	3' - 0"	7' - 0"	0' - 1 3/4"	B	ALUM	PT		F1	HM	PT			DETENTION	
27	Stairwell	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F1	HM	PT			5	CARD/PROX READER
101A	Patrol / Roll call	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F1	HM	PT			6	
101B	Patrol / Roll call	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F1	HM	PT			6	
102	WOMENS	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			16	
103	MENS	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			16	
104	CORRIDOR	2' - 6"	7' - 0"	0' - 2"	ETR	ETR	S4F		F2	HM	PT			13	
105	HALLWAY	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F1	HM	PT			11	
106	Lt Office	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			12	
107	IT	3' - 0"	7' - 2"	0' - 1 3/4"	B	ETR	S4F		F1	HM	PT			10	
108A	Dispatch	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			10	
108B	Dispatch	3' - 0"	7' - 2"	0' - 1 3/4"	B	WD	S4F		F2	HM	PT			9	
108C	Dispatch	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F1	HM	PT			9	
109	HALLWAY	3' - 0"	6' - 8"	0' - 1 3/8"	ETR	ETR	S4F		F1	HM	PT			1	CARD/PROX READER
110	Conference	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			8	
111	Captain	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			9	
112	Captain	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			9	
113	MENS	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			16	
114	Chief	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			9	
115A	Admin	6' - 0"	7' - 0"	0' - 1 3/8"	ETR	ETR	S4F		F2	HM	PT			19	
115B	Stor	6' - 0"	7' - 0"	0' - 1 3/8"	ETR	ETR	S4F		F2	HM	PT			19	
117	Stairwell	5' - 2"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F1	HM	PT				
117A	Waiting	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			9	
117B	Waiting	3' - 0"	7' - 2"	0' - 1 3/4"	ETR	WD	S4F		F2	HM	PT			12	
118	Interview	3' - 0"	7' - 2"	0' - 1 3/4"	A	WD	S4F		F2	HM	PT			8	
119	CORRIDOR	3' - 0"	7' - 2"	0' - 1 3/4"	A	WD	S4F		F2	HM	PT			13	
120	Stairwell	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			9	
120A	STAIRWELL	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			5	CARD/PROX READER
120B	STAIRWELL	3' - 0"	7' - 0"	0' - 1 3/4"	ETR	ETR	S4F		F1	HM	PT			1	CARD/PROX READER
120C	HALLWAY	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			5	CARD/PROX READER
121A	Detectives	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			8	
121B	Detectives	2' - 6"	7' - 0"	0' - 2"	ETR	ETR	S4F		F2	HM	PT			8	
122	Interview	2' - 6"	7' - 0"	0' - 2"	ETR	ETR	S4F		F2	HM	PT			8	
124	Records	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			10	
125	Conference Room	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			4	CARD/PROX READER
126A	Stairway	3' - 0"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F2	HM	PT			5	CARD/PROX READER
126B	Stairwell	5' - 2"	6' - 8"	0' - 1 3/4"	ETR	ETR	S4F		F1	HM	PT			1	CARD/PROX READER
127	Stairway	2' - 6"	7' - 0"	0' - 2"	ETR	ETR	W		F2	HM	PT			10	

DOOR SCHEDULE NOTES


- ANY DOOR (UNLESS EXISTING) FOUND ON OTHER DRAWINGS BUT NOT INDICATED ON THE DOOR SCHEDULE SHALL BE CONSIDERED MINIMALLY AS A 3'-0" x 7'-0" DOOR HAVING A CLEAR COATED SOLID WOOD SLAB WITH A PAINTED HOLLOW METAL FRAME. NOTIFY ARCHITECT OF MISSING DOOR PRIOR TO ORDERING DOOR OR COMMENCING WORK.
- ALL DOOR FRAMES SCHEDULED TO BE INSTALLED IN MASONRY WALLS SHALL HAVE 4" HEAD HEIGHTS.
- ALL DOOR FRAME ASSEMBLIES ARE TO BE MINIMUM LABEL NOTED FOR ITS DOOR.
- ALL DOOR GLAZING IS TO BE MINIMUM LABEL NOTED FOR ITS DOOR.
- ALL WD DOORS ARE SOLID CORE WOOD DOORS AND ARE TO RECEIVE CLEAR FINISHES.
- ALL HM DOORS AND FRAMES ARE TO BE PAINTED.
- FIRE RATINGS AND EXIT DEVICES SHALL BE PROVIDED PER THE APPLICABLE CODE.
- XXXX.
- XXXXX.
- XXXXXX.




A




B



C




E




D1


DOOR TYPES



1



2



3

FRAME TYPES



ARCHITECTS

Saccoccio & Associates, Inc.

1085 Park Avenue
Cranston, Rhode Island 02910

tel 401.942.7970
fax 401.942.7975

Consultant

**NORTH
SMITHFIELD
POLICE
HEADQUARTERS
RENOVATION
FOR THE
FORMER BUSHEE
SCHOOL**

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule

Revision Number	Revision Date
-----------------	---------------

SHEET TITLE

**DOOR & WINDOW
SCHEDULES**

DRAWN BY: Author JOB NUMBER: 17044

CHECKED BY: Checker DATE: 07/25/2018

A6.1

SHEET:

OF:

ROOM FINISH SCHEDULE										
ROOM #	ROOM NAME	WALLS				FLOOR	BASE		CEILING	COMMENTS
		NORTH	SOUTH	EAST	WEST		MATERIAL	HEIGHT		
101	Patrol / Roll call	PT	PT	PT	PT	CPTT	VB	4"	ACT	
102	WOMENS	PT/CWT	PT/CWT	PT/CWT	PT/CWT	CFT	CT	4"	ACT	4'-0" HIGH CT WAITSCOT
103	MENS	PT/CWT	PT/CWT	PT/CWT	PT/CWT	CFT	CT	4"	ACT	4'-0" HIGH CT WAITSCOT
104	Strg.	PT	PT	PT	PT	VCT	VB	4"	ACT	
105	CORRIDOR	PT	PT	PT	PT	VCT	VB	4"	ACT	
106	Lt Office	PT	PT	PT	PT	CPTT	VB	4"	ACT	
107	IT	PT	PT	PT	PT	SDT	VB	4"	ACT	
108	Dispatch	PT	PT	PT	PT	VCT	VB	4"	ACT	
109	HALLWAY	PT	PT	PT	PT	VCT	VB	4"	ACT	
110	Conference	PT	PT	PT	PT	CPTT	VB	4"	ACT	
111	Captain	PT	PT	PT	PT	CPTT	VB	4"	ACT	
112	Captain	PT	PT	PT	PT	CPTT	VB	4"	ACT	
113	MENS	PT/CWT	PT/CWT	PT/CWT	PT/CWT	CFT	CT	4"	ACT	4'-0" HIGH CT WAITSCOT
114	Chief	PT	PT	PT	PT	CPTT	VB	4"	ACT	
115	Stor	PT	PT	PT	PT	CPTT	VB	4"	ACT	
116	Admin	PT	PT	PT	PT	CPTT	VB	4"	ACT	
117	Waiting	PT	PT	PT	PT	CPTT	VB	4"	ACT	
118	Interview	PT	PT	PT	PT	CPTT	VB	4"	ACT	
119	CORRIDOR	PT	PT	PT	PT	VCT	VB	4"	ACT	
120	STAIRWELL	PT	PT	PT	PT	VCT	VB	4"	ACT	ECT AT EXTERIOR DOOR LANDING
121	Detectives	PT	PT	PT	PT	CPTT	VB	4"	ACT	
122	Interview	PT	PT	PT	PT	CPTT	VB	4"	ACT	
123	HALLWAY	PT	PT	PT	PT	VCT	VB	4"	ACT	
124	Records	PT	PT	PT	PT	VCT	VB	4"	ACT	
125	Conference Room	PT	PT	PT	PT	CPTT	VB	4"	ACT	
126	Stairway	PT	PT	PT	PT	VCT	VB	4"	ACT	ECT AT EXTERIOR DOOR LANDING
127	Strg.	PT	PT	PT	PT	VCT	VB	4"	ACT	
B1	Mech	PT	PT	PT	PT	VCT	VB	4"	PT EXT	
B2	Booking	SWG	SWG	SWG	SWG	EPX	EPX	6"	GWB	
B3	Prisoner Processing	SWG	SWG	SWG	SWG	EPX	EPX	6"	GWB	
B4	Entry	SWG	SWG	SWG	SWG	EPX	EPX	6"	GWB	
B5	Interview	PT	PT	PT	PT	EPX	EPX	6"	GWB	
B6	Cell Corridor	SWG	SWG	SWG	SWG	EPX	EPX	6"	SECURITY CEILING	
B7	Cell #1	SWG	SWG	SWG	SWG	EPX	EPX	6"	SECURITY CEILING	
B8	Mech	PT	PT	PT	PT	SEAL CONC.	-	0"	PT EXT	
B9	BCI Stor	PT	PT	PT	PT	VCT	VB	4"	ACT	
B10	Jan. Closet	PT	PT	PT	PT	CFT	CT	4"	PT EXT	
B11	Armory	PT	PT	PT	PT	VCT	VB	4"	GWB	
B12	Woman	PT/CWT	PT/CWT	PT/CWT	PT/CWT	CFT	CT	4"	MRT	4'-0" HIGH CT WAITSCOT
B13	Womens Locker Rm	PT/CWT	PT/CWT	PT/CWT	PT/CWT	MR-CPTT	VB	4"	MRT	
B14	Temp Evidence Rm.	PT/CWT	PT/CWT	PT/CWT	PT/CWT	VCT	VB	4"	ACT	
B16	POLICE WORK OUT AREA	PT	PT	PT	PT	RAF	VB	4"	ACT	
B17	STORAGE	PT	PT	PT	PT	VCT	VB	4"	ACT	
B18	Stairwell	PT	PT	PT	PT	VCT	VB	4"	ACT	
B19	Mens Locker Room (25)	PT/CWT	PT/CWT	PT/CWT	PT/CWT	MR-CPTT	VB	4"	MRT	
B20	Mens	PT/CWT	PT/CWT	PT/CWT	PT/CWT	CFT	CT	4"	MRT	
B21	Hallway	PT	PT	PT	PT	VCT	VB	4"	ACT	
B22	Evidence	PT	PT	PT	PT	VCT	VB	4"	ACT	
B23	Electrical	PT	PT	PT	PT	VCT	VB	4"	PT EXT	
B24	Cell #3	SWG	SWG	SWG	SWG	EPX	EPX	6"	-	
B25	Cell #2	SWG	SWG	SWG	SWG	EPX	EPX	6"	-	
B26	Cell Corridor	SWG	SWG	SWG	SWG	EPX	EPX	6"	-	
B27	Stairwell	PT	PT	PT	PT	VCT	VB	4"	ACT	

ARCHITECTURAL ABBREVIATION LEGEND

- = NO WORK NEEDED	MECH = MECHANICAL
ACT = ACOUSTICAL CEILING TILE	MIN = MINIMUM
ACTT = ACOUSTICAL CEILING TILE-TEGULAR	MISC = MISCELLANEOUS
AFF = ABOVE FINISH FLOOR	MFR = MANUFACTURER
ALUM = ALUMINUM	MO = MASONRY OPENING
CBB = CEMENTITIOUS BACKER BOARD	MR-CPTT = MOISTURE RESISTANT CARPET TILE
CFT = CERAMIC FLOOR TILE	MRT = MOISTURE RESISTANT CEILING TILE
CJ = CONTROL JOINT	NIC = NOT IN CONTRACT
CMU = CONCRETE MASONRY UNIT(S)	NTS = NOT TO SCALE
CO = CLEAN OUT	OC = ON CENTER
CONC = CONCRETE	OD = OUTSIDE DIAMETER
CONST = CONSTRUCTION	OFF = OFFICE
CORR = CORRIDOR	OPNG = OPENING
CT = CERAMIC TILE	OPP = OPPOSITE
CPT = CARPET	OTS = OPEN TO STRUCTURE
CPTT = CARPET TILE	PLAM = PLASTIC LAMINATE
CWT = CERAMIC WALL TILE	PT = PAINT or PRESSURE TREATED
DEMO = DEMOLISH/DEMOLITION	PVC = POLYVINYL CHLORIDE
DIA = DIAMETER	QT = QUARRY TILE
DIM = DIMENSION	R = RISER
DN = DOWN	RAD = RADIUS
DWG = DRAWING	RAF = RESILIENT ATHLETIC FLOORING
ECT = ENTRANCE CARPET TILE	RD = ROOF DRAIN
EJ = EXPANSION JOINT	REBAR = REINFORCEMENT BAR(S)
ELEC = ELECTRIC/ELECTRICAL	REINF = REINFORCEMENT
EPX = POURED EPOXY FLOOR	RH = ROBE HOOK
EQ = EQUAL	RM = ROOM
ETR = EXISTING TO REMAIN	RMK = REMARK
EXT = EXISTING	RO = ROUGH OPENING
FD = FLOOR DRAIN	SF = SQUARE FOOT/FEET
FE = FIRE EXTINGUISHER	S&F = STAIN & FINISH
FEC = FIRE EXTINGUISHER & CABINET	SDT = STATIC DISSIPATING TILE
FF = FINISH FLOOR	SEAL = SEALED CONCRETE
FHC = FIRE HOSE CABINET	SCB = SUSPENDED GYPSUM BOARD
FIN = FINISH	SIM = SIMILAR
FLR = FLOOR	SQ = SQUARE
FOC = FACE OF CONCRETE	SS = STAINLESS STEEL
FOS = FACE OF STUD	STL = STEEL
FR = FIRE RATED	STOR = STORAGE
FRP = FIBERGLASS REINFORCED PANEL	STRUC = STRUCTURAL
FRS = FIRE-RATED SAFETY GLASS	SV = SHEET VINYL
FT = FOOT/FEET	SWG = SPECIAL WALL GLAZE
FTG = FOOTING	T&G = TONGUE & GROOVE
GA = GAUGE	TEMP = TEMPERED
GALV = GALVANIZED	TOS = TOP OF STEEL
GC = GENERAL CONTRACTOR	TV = TELEVISION
GLU LAM = GLUE LAMINATED	TOW = TOP OF WALL
GWB = GYPSUM WALL BOARD	TYP = TYPICAL
GHM = GALVANIZED HOLLOW METAL	UON = UNLESS OTHERWISE NOTED
HB = HOSE BIBB	VAS = VERIFY AT SITE
HM = HOLLOW METAL	VB = VINYL BASE
HORIZ = HORIZONTAL	VCT = VINYL COMPOSITION TILE
HR = HOUR	VERT = VERTICAL
HVAC = HEATING/VENTILATING/AIR CONDITIONING	VIF = VERIFY IN FIELD
ID = INSIDE DIAMETER	VT = VINYL TILE
INSUL = INSULATED	VWC = VINYL WALL COVERING
INT = INTERIOR	W/ = WITH
JAN = JANITOR	WC = WATER CLOSET
JT = JOINT	WD = WOOD
LAM = LAMINATE	WH = WATER HEATER
LAV = LAVATORY	WID = WITHOUT
LWT = LIGHTWEIGHT	WP = WATERPROOF(ING)
MAS = MASONRY	WR = WATER RESISTANT
MAT = MATERIAL	WWM = WELDED WIRE MESH
MAX = MAXIMUM	

FINISH SCHEDULE NOTES

1. ANY ROOM(S) FOUND ON OTHER PLANS AND NOT INDICATED ON FINISH SCHEDULE SHALL RECEIVE MINIMALLY VCT, VCB, ACT AND FT. NOTIFY ARCHITECT OF MISSING ROOM PRIOR TO COMMENCING ANY WORK IN THESE AREAS.
2. 5/8" GWB TO BE REPLACED w/ 5/8" CEMENTITIOUS TILE BACKER BOARD WHEREVER ANY PORTION OF A WALL OR CEILING IS SCHEDULED TO RECEIVE CT.
3. ALL INTERIOR ARCHITECTURAL WOODWORK SHALL RECEIVE FINISH TO MATCH DOOR FINISH WITHIN THE SAME ROOM UNLESS OTHERWISE SPECIFIED.
4. XXXXX.
5. XXXXXX.
6. XXXXXX.



ARCHITECTS

Saccoccio & Associates, Inc.

1085 Park Avenue tel 401.942.7970
Cranston, Rhode Island 02910 fax 401.942.7975

Consultant

NORTH SMITHFIELD POLICE HEADQUARTERS RENOVATION FOR THE FORMER BUSHEE SCHOOL

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule

Revision Number	Revision Date
-----------------	---------------

SHEET TITLE


FINISH SCHEDULE

DRAWN BY: FK JOB NUMBER: 17044

CHECKED BY: MS DATE: 07/25/2018

A6.2

SHEET: OF:



LEGEND

ACOUSTICAL LAY-IN TILE

NEW PAINTED 5/8" GWB. PROVIDE METAL CEILING OR SOFFIT CONSTRUCTION AS REQUIRED

X-X"

CEILING HEIGHT
OTS = OPEN TO STRUCTURE

NOTES

1. PROVIDE 3 1/2" SOUND ATTENUATION BATTS IN CEILING WHERE NOTED.

2. XX



**Saccoccio &
Associates, Inc.**
1085 Park Avenue
Cranston, Rhode Island 02910

tel 401.942.7970
fax 401.942.7975

Consultant

NORTH
SMITHFIELD
POLICE
HEADQUARTERS
RENOVATION
FOR THE
FORMER BUSHEE
SCHOOL

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date

SHEET TITLE

BASEMENT
REFLECTED
CEILING PLAN


DRAWN BY:	Author	JOB NUMBER:	17044
CHECKED BY:	Checker	DATE:	07/25/2018

A8.0

SCHEMATIC DESIGN

SHEET:

OF:



LEGEND

ACOUSTICAL LAY-IN TILE

NEW PAINTED 5/8" GWS. PROVIDE METAL CEILING OR SOFFIT CONSTRUCTION AS REQUIRED

X"-X" CEILING HEIGHT
OTS = OPEN TO STRUCTURE

- NOTES**
1. PROVIDE 3 1/2" SOUND ATTENUATION BATTS IN CEILING WHERE NOTED.
2. XX



**Saccoccio &
Associates, Inc.**

1085 Park Avenue tel 401.942.7970
Cranston, Rhode Island 02910 fax 401.942.7975

Consultant

**NORTH
SMITHFIELD
POLICE
HEADQUARTERS
RENOVATION
FOR THE
FORMER BUSHEE
SCHOOL**

575 Smithfield Road
North Smithfield, RI 02896

Revision Schedule	
Revision Number	Revision Date

SHEET TITLE

**1st FLOOR
REFLECTED
CEILING PLAN**

DRAWN BY:	FK	JOB NUMBER:	17044
CHECKED BY:	MS	DATE:	07/25/2018

A8.1

SHEET: OF: